


Contents

### INSTALLATION INSTRUCTIONS

Descrip	tion: System Me	onitor	Part Number: 99105-80008/80108 Installation Time: 1 HRS	
Applicat	tions: Suzuki Mari	ine Boats		
NOTE:	Mounts in sta	ndard 2 1/16" hole.	Weight: 1 lbs	
Ref.	Part Number	Description		QTY
1.	99105-80008/80108	System Monitor Gauge		1
2.	BC0128	Mounting Bracket		1
3.	Mounting Hardware			1



# Tools Required

Ref.	Tools Description		
1.	5/16" Nut Driver		
2.	Suzuki Terminal Kit	09900-28701	



## Important

A WARNING A CAUTION NOTE Please read this manual and follow its instructions carefully. To emphasize special information, the symbol and the words **WARNING, CAUTION** and **NOTE** have special meanings. Pay special attention to the messages highlighted by these signal words:

**NOTE:** Indicates special information to make maintenance easier or instructions clear.

#### 

Indicates potential hazard that could result in death or injury.

#### 

Indicates potential hazard that could result in vehicle damage.

GENUINE SUZUKI ACCESSORIES



# 

- Disconnect battery during installation.
- Tighten nuts on backclamp only slightly more than you can tighten with your fingers. Six inch-pounds of torque is sufficient. Over tightening may result in damage to the instrument and may void your warranty.
- Gasket cement or other adhesive is not required to secure tubing to fittings.

# Installation

**1** Cut a 2 1/16" dia. hole in the dash and mount the gauge with the backclamp supplied.

**2.** To connect the instrument, align the keys on the gauge's wire harness plug with the engine MONITOR harness (#36682-92E00) instrument's receptacle. Push the plug in gently until the catches snap in place.

**3** Connect the Gray wire (Ignition) and the Black (Ground) to the Suzuki harness.

